

Safety Data Sheet Prepared according to US 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200) and Canadian 2015 Workplace Hazardous Materials Information System (WHMIS)

Revision Date 05-Jul-2020

**Revision Number5** 

# **1. IDENTIFICATION**

Product Identifier Product Name	SWEPCO Superior 150 Wire Rope Grease		
Other means of identification			
Product Code			
Synonyms	W20530		
	None		
Recommended use of the chemical	and restrictions on use		
Recommended Use	Lubricant		
Uses advised against	Any non-label use		
Details of the supplier of the safety data sheet			

Southwestern Petroleum Corporation	Southwestern Petroleum Canada Ltd
534 North Main St	87 West Drive
Fort Worth, TX 76106 USA	Brampton, ON L6T 2J6 USA
Phone: 1-800-877-9372	Phone: 905-457-0511
Web: www.swepcousa.com	Web: www.swepcousa.com

#### **Emergency Telephone Number**

Chemtrec 1-800-424-9300 in US; Canutec 1-613-996-6666 in Canada.

# 2. HAZARDS IDENTIFICATION

#### **Classification**

The ingredients in this product mixture have been evaluated and classified according to the hazard classification requirements of 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200) and 2015 Canadian WHMIS Standard. The resulting hazard classification(s) and required label elements are reported in this section.

Label elements	
Product Name	SWEPCO 150 Wire Rope Grease
Signal Word	None
Hazard statements	None.
Pictograms	

#### Hazards not otherwise classified (HNOC)

No other information available.

Other Information

# **3. COMPOSITION/INFORMATION ON INGREDIENTS**

#### Chemical Family

Petroleum hydrocarbon.

Chemical Name	CAS-No	Weight %	Trade Secret
100 Pale	Proprietary	30 - 40%	*
Calcium, acetate carbonate hydrogenated castor-oil fatty acids complexes	68307-88-0	20 - 30%	*
Tallow, mixed with tristearin, calcium sodium salts	68608-31-1	0 - 10%	*
Calcium dodecylbenzene sulfonate	26264-06-2	0 - 10%	*
Benzenamine, 2-ethyl-N-(2-ethylphenyl)-, (tripropenyl) derivitives	68608-77-5	0 - 10%	*
Polybutene	9003-29-6	0 - 10%	*
Graphite	7782-42-5	0 - 10%	*
Calcium Carbonate	1317-65-3	0 - 10%	*
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	20 - 30%	*

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

# 4. FIRST AID MEASURES

#### **Description of first aid measures**

Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If symptoms persist, call a physician.
Skin Contact	Wash off with warm water and soap. In the case of skin irritation or allergic reactions see a physician. Remove and wash contaminated clothing before re-use.
Inhalation	Move to fresh air. Administer oxygen if breathing is difficult.
Ingestion	Clean mouth with water and drink afterwards plenty of water.
Most important symptoms and effe	ects, both acute and delayed
Symptoms	No other information available.
Indication of any immediate medica	al attention and special treatment needed
Notes to Physician	Treat symptomatically.

# 5. FIRE-FIGHTING MEASURES

#### Suitable Extinguishing Media

Foam. Dry chemical or CO2. Cool containers with flooding quantities of water until well after fire is out.

Unsuitable Extinguishing Media Do not scatter spilled material with high pressure water streams.

#### Specific Hazards Arising from the Chemical

No other information available.

# <u>Hazardous Combustion Products</u> Hydrocarbons. Carbon monoxide. Hydrogen sulfide (H2S) may be produced above 250° F (121° C).

Explosion Data

Sensitivity to mechanical impact None. Sensitivity to static discharge None.

## Protective Equipment and Precautions for Firefighters

Wear self-contained breathing apparatus and protective suit.

# 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid contact with skin, eyes and clothing. Ensure adequate ventilation. Remove all sources of ignition.

#### Environmental precautions

See Section 12 for additional Ecological information.

#### Methods and material for containment and cleaning up

Prevent further leakage or spillage if safe to do so.

Pick up and transfer to properly labelled containers.

# 7. HANDLING AND STORAGE

#### Precautions for safe handling

Handling

Handle in accordance with good industrial hygiene and safety practice.

#### Conditions for safe storage, including any incompatibilities

Storage Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children.

Incompatible Materials Strong oxidizing agents.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

**Exposure Guidelines** 

Exposure limits of this complete mixture have not been evaluated. If information is available on any of the individual components of the mixture, it is presented in the table below. Keep in mind, however, that these exposure levels are for pure concentrations of these ingredients. If no table appears below, none of the components represent a hazard or occupational exposure limits have not been established or occupational exposure limits are not known for any of the ingredients in this product:

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Graphite	TWA: 2 mg/m <sup>3</sup>	TWA: 15 mg/m <sup>3</sup>	1250 mg/m <sup>3</sup>
7782-42-5	_	TWA: 5 mg/m <sup>3</sup>	-
Calcium Carbonate	-	TWA: 15 mg/m <sup>3</sup>	-
1317-65-3		TWA: 5 mg/m <sup>3</sup>	

#### Appropriate engineering controls

Use in well-ventilated area. If user operations generate an oil mist, use process enclosures, local exhaust ventilation or other engineering controls to control airborne levels below the recommended mineral oil mist exposure limits (ACGIH TLV TWA: 5 mg/m<sup>3</sup>; ACGIH TLV STEL: 10 mg/m<sup>3</sup>; OSHA PEL TWA: 5 mg/m<sup>3</sup>).

#### Individual protection measures, such as personal protective equipment

Eye/face Protection	Safety glasses with side-shields.
Skin and body protection	Suitable protective clothing.
Respiratory Protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

Physical state	
Color	
Odor	
Odor Threshold	

#### **Property**

pН Melting point / freezing point **Boiling Point/Range** Flash Point **Evaporation Rate** Flammability (solid, gas) Flammability Limit in Air **Upper flammability limit:** Lower flammability limit: Vapor pressure Vapor Density **Relative density** Water Solubility Solubility in other solvents Partition coefficient **Autoignition Temperature Decomposition temperature** Kinematic viscosity @40C **Dynamic viscosity Explosive Properties Oxidizing Properties** 

#### **Other Information**

Softening Point Molecular Weight Volatiles, % Vol Density Bulk Density Grease Blue Petroleum distillates No other information available

#### Values

No other information available 300 °C No other information available >200 NIL No other information available

No other information available No other information available No other information available No other information available No other information available No other information available No other information available No other information available No other information available

No other information available No other information available No other information available No other information available

No other information available No other information available No other information available No other information available 8,559

#### Remarks • Method

**10. STABILITY AND REACTIVITY** 

#### **Reactivity**

None under normal use conditions.

#### Chemical Stability

Stable under recommended storage conditions.

#### Possibility of Hazardous Reactions

None under normal use conditions. Hazardous polymerization does not occur.

#### Conditions to Avoid

Heat, flames and sparks.

#### Incompatible Materials

Strong oxidizing agents.

#### Hazardous Decomposition Products

Hydrocarbons. Carbon monoxide. Hydrogen sulfide (H2S) may be produced above 250° F (121° C).

**11. TOXICOLOGICAL INFORMATION** 

Information on likely routes of exposure

#### **Principle Routes of Exposure**

Skin contact. Eye contact.

**Product Information** 

Toxicity of this complete mixture has not been evaluated. If information is available on any of the individual components of the mixture, it is presented in this section. If no information appears in this section, there is no toxicological information available for any of the components of the mixture.

Chemical Name	ATEmix (oral)	Dermal LD50	Inhalation LC50
Calcium dodecylbenzene sulfonate	1086 - 1980 mg/kg (Rat) = 4 g/kg	-	-
26264-06-2	(Rat)		
Petroleum distillates, hydrotreated	> 15 g/kg (Rat)	-	-
heavy paraffinic			
64742-54-7			

#### Information on toxicological effects

Eye Contact	Contact with eyes may cause irritation.
Skin Contact	Repeated or prolonged skin contact may cause allergic reactions with susceptible persons.
Inhalation	Avoid breathing of vapors or spray mist. May cause respiratory irritation or other pulmonary effects following prolonged or repeated inhalation of oil mist at airborne levels above the recommended mineral oil mist exposure limits (ACGIH TLV TWA: 5 mg/m <sup>3</sup> ; ACGIH TLV STEL: 10 mg/m <sup>3</sup> ; OSHA PEL TWA: 5 mg/m <sup>3</sup> ).
Ingestion	May be harmful if swallowed. Potential for aspiration if swallowed. Not an expected route of exposure. Aspiration may cause pulmonary edema and pneumonitis.

# Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization	No other information available.
Mutagenic Effects	No other information available.
Carcinogenicity	The table below indicates if any agency has listed any ingredient of this product as a
	carcinogen. If no table appears, no toxicological information was found.

Chemical Name	ACGIH	IARC	NTP Carc	OSHA
100 Pale	-	Group 1	Known	-
Petroleum distillates, hydrotreated heavy paraffinic 64742-54-7	-	Group 1	Known	-

Reproductive Effects STOT - single exposure STOT - repeated exposure	No other information available. No other information available. No other information available.
Chronic Toxicity	Reports have associated repeated and prolonged occupational overexposure to petroleum based products with liver, kidney, brain and nervous system damage. There is, however, no reported human evidence that these effects occur when exposure is maintained below OSHA and ACGIH limits
Aspiration hazard	No other information available.

## Numerical measures of toxicity

If this product has been classified as a toxic mixture and numerical measures of toxicity have been calculated based on chapter 3.1 of the GHS document, that data will appear below. If no toxicity calculations appear below, no data is available.

# **12. ECOLOGICAL INFORMATION**

**Ecotoxicity** 

<u>ADN</u>

If ecotoxicity data is available on any of the components of this product, the data will be presented in the table below. If there is no table, there is no data available on any of the components of this product.

Persistence/Degradability	No other information available.					
Bioaccumulative potential	If bioaccumulation data is available on any of the components of this product, the data will be presented in the table below. If there is no table, there is no data available on any of the components of this product.					
Mobility in Environmental Media	If mobility data is available on any of the components of this product, the data will be presented in the table below. If there is no table, there is no data available on any of the components of this product.					
	13. DISPOSAL CONSIDERATIONS					
Waste treatment methods						
Waste Disposal Method	Dispose of in accordance with Federal, state and local regulations.					
Contaminated Packaging	Do not re-use empty containers.					
US EPA Waste Number	Not applicable					
RCRA	Subtitle C of the Resource Conservation and Recovery Act (RCRA) requires disclosure of any components of this mixture that are defined as hazardous waste by the Act. If any ingredients in this product are considered hazardous waste, they will be listed in the table below. If there is no table, there are no haardous waste components in this product.					
California Waste Status	If this product contains one or more substances that are listed with the State of California as a hazardous waste, data will be listed in the table below. If there is no table, there is no data available.					
14. TRANSPORT INFORMATION						
DOT						
DOT_	Not regulated					
<u>TDG</u>	Not regulated					
<u>MEX</u>	Not regulated					
ICAO	Not regulated					
<u>IATA</u>	Not regulated					
IMDG/IMO	Not regulated					
RID	Not regulated					
ADR	Not regulated					

# **15. REGULATORY INFORMATION**

Not regulated

#### **International Regulations & Inventories Chemical Name** CAS-No EINECS ELINCS TSCA FIFRA DSL NDSL PICCS ENCS CHINA AICS KECL 100 Pale Present Х Х Х Х KE-12543 Х

Calcium, acetate carbonate hydrogenated castor-oil fatty acids complexes	68307-88-0	Х	-	Present	-	-	Х	-	-	-	-	-
Tallow, mixed with tristearin, calcium sodium salts	68608-31-1	Х	-	Present	-	-	X	-	-	-	-	KE-32974 X
Calcium dodecylbenzene sulfonate	26264-06-2	Х	-	Present	-	Х	-	X	Х	Х	-	KE-04533 X
Benzenamine, 2-ethyl-N-(2-ethylphen yl)-, (tripropenyl) derivitives	68608-77-5	Х	-	Present	-	Х	-	X	-	Х	-	KE-13700 X
Polybutene	9003-29-6	-	-	Present	Х	Х	-	Х	Х	Х	-	KE-28852 X
Graphite	7782-42-5	Х	-	Present	Х	Х	-	Х	-	Х	-	KE-18101 X
Calcium Carbonate	1317-65-3	Х	-	Present	-	-	Х	Х	Х	Х	-	KE-21996 X
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	х	-	Present	-	Х	-	Х	-	Х	-	KE-12546 X

X = Listed; XU = Exempt; - = Not Listed

TSCA/FIFRA	Complies
DSL/NDSL	Complies
EINECS/ELINCS	Complies
ENCS	Does not Comply
CHINA	Does not Comply
KECL	Does not Comply
PICCS	Does not Comply
AICS	Does not Comply

## U.S. Federal Regulations

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA) requires reporting of any component of this mixture that is subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372. If any of the ingredients in this product meet these reporting requirements, they will be listed in the table below. If there is no table, no ingredients of this product meet the reporting requirements.

#### **Clean Water Act**

The Clean Water Act (40 CFR 22.21 and 40 CFR 122.42) requires reporting of any component of this mixture designated as a regulated pollutant by the Act. If any of the ingredients in this product meet these reporting requirements, they will be listed in the table below. If there is no table, no ingredients of this product meet the reporting requirements.

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Calcium dodecylbenzene sulfonate 26264-06-2	1000 lb	-	-	Х

#### **CERCLA**

The Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) and the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355) require disclosure of any component of this mixture that meets the reporting requirements of these Acts. If any of the ingredients in this product are regulated by one or both of these Acts, they will be listed in the table below. If there is no table, no ingredients of this product meet the reporting requirements. There may be specific reporting requirements at the local, regional or state level pertaining to releases of this material.

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	SARA Hazardous Substance Required Qty
Calcium dodecylbenzene sulfonate 26264-06-2	1000 lb	-	RQ 1000 lb final RQ RQ 454 kg final RQ

## U.S. Regulations & Inventories

#### **California Proposition 65**

California Proposition 65 requires disclosure of ingredients of this mixture that are designated as Proposition 65 substances. If any of the ingredients in this product meet these reporting requirements, they will be listed in the table below. If there is no table, no ingredients of this product meet the reporting requirements.

#### U.S. State Right-to-Know Regulations

Several states have "State Right-to-Know" regulations requiring disclosure of specific substances. If any of the ingredients in this product meet these reporting requirements, they will be listed in the table below. If there is no table, no ingredients of this product meet the reporting requirements.

# U.S. EPA Label Information

EPA Registration Number Not applicable

# **16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION**

#### Regulatory Lists Searched & Other Sources of Information

CHINA - China Inventory MARTK - Massachusetts Right To Know List NJRTK - New Jersey Right To Know List PARTK - Pennsylvania Right To Know List PICCS - Philippines Inventory of Chemicals and Chemical Substances RIHSL - Rhode Island Hazardous Substance List

#### Definitions

TWAEV - Time Weighted Average Exposure Value

#### **Prepared By**

Regulatory Compliance Department

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of SDS