

Safety Data Sheet

Prepared according to US 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200) and Canadian 2015 Workplace Hazardous Materials Information System (WHMIS)

Revision Date 10-June 2020

Revision Number 4

1. IDENTIFICATION Product Identifier SWEPCO 164 Ultra EP Open Gear Lube **Product Name** Alternate Product Names: SWEPCO 164 Open Gear EP Grease Other means of identification **Product Code** W20526 **Synonyms** None Recommended use of the chemical and restrictions on use **Recommended Use** Lubricant Uses advised against Any non-label use Details of the supplier of the safety data sheet Southwestern Petroleum Corporation Southwestern Petroleum Canada Ltd 534 North Main St 87 West Drive Fort Worth, TX 76106 USA Brampton, ON L6T 2J6 USA Phone: 1-800-877-9372 Phone: 905-457-0511

Emergency Telephone Number

Web: www.swepcousa.com

Chemtrec 1-800-424-9300 in US; Canutec 1-613-996-6666 in Canada.

2. HAZARDS IDENTIFICATION

Web: www.swepcousa.com

Classification

The ingredients in this product mixture have been evaluated and classified according to the hazard classification requirements of 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200) and 2015 Canadian WHMIS Standard. The resulting hazard classification(s) and required label elements are reported in this section.

Label elements	
Product Name	SWEPCO 164 Ultra EP Open Gear Lube
Signal Word	None
Hazard statements	None.
Pictograms	
Hazards not otherwise classified (HNOC)	No other information available.
<u>Other Information</u> Unknown acute toxicity	49.25% of the mixture consists of ingredient(s) of unknown toxicity.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixture

Chemical Family

Non-hazardous proprietary mixture. Petroleum hydrocarbon.

Chemical Name	CAS-No	Weight %	Trade Secret
Calcium dodecylbenzene sulfonate	26264-06-2	0 - 10%	*
Calcium Carbonate	1317-65-3	10 - 20%	*

The product contains no substances which at their given concentration, are considered to be hazardous to health.

4. FIRST AID MEASURES					
Description of first aid measu	res				
Eye Contact	Rinse thoroughly with plenty of water, also under the eyelids. If symptoms persist, call a physician.				
Skin Contact	Wash off with warm water and soap. In the case of skin irritation or allergic reactions see a physician. Remove and wash contaminated clothing before re-use.				
Inhalation	First aid is not required.				
Ingestion	Clean mouth with water and drink afterwards plenty of water.				
Most important symptoms an	d effects, both acute and delayed				
Symptoms	No other information available.				
Indication of any immediate n	nedical attention and special treatment needed				
Notes to Physician	Treat symptomatically.				
	5. FIRE-FIGHTING MEASURES				
Suitable Extinguishing Media Foam. Dry chemical or CO2. Co	ool containers with flooding quantities of water until well after fire is out.				
Unsuitable Extinguishing	Media Do not scatter spilled material with high pressure water streams.				
Specific Hazards Arising from No other information available.	the Chemical				

Hazardous Combustion Products Hydrocarbons. Carbon monoxide. Hydrogen sulfide (H2S) may be produced above 250° F (121° C).

Explosion Data

Sensitivity to mechanical impact None. Sensitivity to static discharge None.

Protective Equipment and Precautions for Firefighters

Wear self-contained breathing apparatus and protective suit.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid contact with skin, eyes and clothing. Ensure adequate ventilation. Remove all sources of ignition.

Environmental Precautions

Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.

Methods and material for containment and cleaning up

Prevent further leakage or spillage if safe to do so.

Take up mechanically and collect in suitable container for disposal.

7. HANDLING AND STORAGE

Precautions for safe handling

Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Storage Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of children.

Incompatible Materials Strong oxidizing agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

This product does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Calcium Carbonate	-	TWA: 15 mg/m ³	-
1317-65-3		TWA: 5 mg/m ³	

Appropriate engineering controls

Use in well-ventilated area. If user operations generate an oil mist, use process enclosures, local exhaust ventilation or other engineering controls to control airborne levels below the recommended mineral oil mist exposure limits (ACGIH TLV TWA: 5 mg/m³; ACGIH TLV STEL: 10 mg/m³; OSHA PEL TWA: 5 mg/m³).

Individual protection measures, such as personal protective equipment

Eye/face Protection	Safety glasses with side-shields.
Skin and body protection	Suitable protective clothing.
Respiratory Protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.
General Hygiene Consideration	s When using, do not eat, drink or smoke. Regular cleaning of equipment, work area and clothing. Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product. Keep away from food, drink and animal feeding stuffs.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State	Grease
Color	Grey
Odor	Petroleum distillates

Odor Threshold	No other information available	
Property	Values	Remarks • Method
pH	No other information available	
Melting point / freezing point	No other information available	
Boiling Point/Range	No other information available	
Flash Point	179 °C	
Evaporation Rate	No other information available	
Flammability (solid, gas)	No other information available	
Flammability Limit in Air		
Upper flammability limit:	7.0	
Lower flammability limit:	0.9	
Vapor pressure	No other information available	
Vapor Density	>5	
Relative density	0.92	
Water Solubility	No other information available	
Solubility in other solvents	No other information available	
Partition coefficient	No other information available	
Autoignition Temperature	315 °C	
Decomposition temperature		
Kinematic viscosity @40C	No other information available	
Dynamic viscosity	No other information available	
Explosive Properties	No other information available	
Oxidizing Properties	No other information available	
Other Information		
Softening Point Molecular Weight Volatiles, % Vol	No other information available No other information available 0	
Density Bulk Density	No other information available No other information available	

10. STABILITY AND REACTIVITY

Reactivity

None under normal use conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal use conditions. Hazardous polymerization does not occur.

Conditions to Avoid

Heat, flames and sparks.

Incompatible Materials

Strong oxidizing agents.

Hazardous Decomposition Products

Hydrocarbons. Carbon monoxide. Hydrogen sulfide (H2S) may be produced above 250° F (121° C).

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Principle Routes of Exposure Skin contact. Eye contact.

Product Information

Toxicity of this complete mixture has not been evaluated. If information is available on any of the individual components of the mixture, it is presented in this section. If no information appears in this section, there is no toxicological information available for any of the components of the mixture.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50				
Calcium dodecylbenzene sulfonate 26264-06-2	1086 - 1980 mg/kg (Rat) = 4 g/kg (Rat)						
Information on toxicological ef	ffects						
Eye Contact	Contact with eyes may cause	Contact with eyes may cause irritation.					
Skin Contact	Repeated or prolonged skin	Repeated or prolonged skin contact may cause allergic reactions with susceptible persons.					
Inhalation	None known.						
Ingestion		May be harmful if swallowed. Potential for aspiration if swallowed. Not an expected route of exposure. Aspiration may cause pulmonary edema and pneumonitis.					
Delayed and immediate effects	as well as chronic effects from	short and long-term exposur	<u>e_</u>				
Sensitization Mutagenic Effects Carcinogenicity	No other information available. No other information available. The table below indicates if any agency has listed any ingredient of this product as a carcinogen. If no table appears, no toxicological information was found.						
Reproductive Effects STOT - single exposure STOT - repeated exposure	No other information availat No other information availat No other information availat	ole.					
Chronic Toxicity	Reports have associated repeated and prolonged occupational overexposure to petroleur based products with liver, kidney, brain and nervous system damage. There is, however, no reported human evidence that these effects occur when exposure is maintained below OSHA and ACGIH limits						
Aspiration hazard	No other information availab	ole.					

<u>Numerical measures of toxicity</u> If this product has been classified as a toxic mixture and numerical measures of toxicity have been calculated based on chapter 3.1 of the GHS document, that data will appear below. If no toxicity calculations appear below, no data is available.

12. ECOLOGICAL INFORMATION

Ecotoxicity

If ecotoxicity data is available on any of the components of this product, the data will be presented in the table below. If there is no table, there is no data available on any of the components of this product.

50 % of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Water Flea				
Calcium dodecylbenzene sulfonate 26264-06-2	-	10.8: 96 h Oncorhynchus mykiss mg/L LC50 static	-			
Persistence/Degradability	No other information avail	able.				
Bioaccumulative potential	If bioaccumulation data is available on any of the components of this product, the data will be presented in the table below. If there is no table, there is no data available on any of the components of this product.					
Mobility in Environmental Media	If mobility data is available on any of the components of this product, the data will be presented in the table below. If there is no table, there is no data available on any of the components of this product.					

	13. DISPOSAL CONSIDERATIONS						
Waste treatment methods							
Waste Disposal Method	Dispose of in accordance with Federal, state and local regulations.						
Contaminated Packaging	Do not re-use empty containers.						
US EPA Waste Number	Not applicable						
RCRA	Subtitle C of the Resource Conservation and Recovery Act (RCRA) requires disclosure of any components of this mixture that are defined as hazardous waste by the Act. If any ingredients in this product are considered hazardous waste, they will be listed in the table below. If there is no table, there are no haardous waste components in this product.						
California Waste Status If this product contains one or more substances that are listed with the State of California a hazardous waste, data will be listed in the table below. If there is no table, there is no data available.							
14. TRANSPORT INFORMATION							
DOT	Not regulated						
TDG	Not regulated						
<u>MEX</u>	Not regulated						
ICAO	Not regulated						
IATA	Not regulated						
IMDG/IMO	Not regulated						
RID	Not regulated						
ADR	Not regulated						
ADN	Not regulated						

15. REGULATORY INFORMATION

International Regulations & Inventories All of the components in the product are on the following Inventory lists: China (IECSC).

Chemical Name	CAS-No	EINECS	ELINCS	TSCA	FIFRA	DSL	NDSL	PICCS	ENCS	CHINA	AICS	KECL
Calcium dodecylbenzene sulfonate	26264-06-2	Х	-	Present	-	Х	-	X	х	Х	Х	KE-04533 X
Calcium Carbonate	1317-65-3	х	-	Present	-	-	Х	Х	Х	Х	Х	KE-21996 X
X = Listed; XU = Exem	pt; - = Not Liste	d										
TSCA/FIFRA		Does	not compl	y								
DSL/NDSL	Complies											
EINECS/ELINCS	Does not Comply											
ENCS	Does not Comply											
CHINA	Does not Comply											
KECL	Does not Comply											
PICCS	Does not Comply											
AICS	Does not Comply											

U.S. Federal Regulations

<u>SARA 313</u>

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA) requires reporting of any component of this mixture that is subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372. If any of the ingredients in this product meet these reporting requirements, they will be listed in the table below. If there is no table, no ingredients of this product meet the reporting requirements.

Clean Water Act

The Clean Water Act (40 CFR 22.21 and 40 CFR 122.42) requires reporting of any component of this mixture designated as a regulated pollutant by the Act. If any of the ingredients in this product meet these reporting requirements, they will be listed in the table below. If there is no table, no ingredients of this product meet the reporting requirements.

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Calcium dodecylbenzene sulfonate 26264-06-2	1000 lb	-	-	Х

<u>CERCLA</u>

The Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) and the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355) require disclosure of any component of this mixture that meets the reporting requirements of these Acts. If any of the ingredients in this product are regulated by one or both of these Acts, they will be listed in the table below. If there is no table, no ingredients of this product meet the reporting requirements. There may be specific reporting requirements at the local, regional or state level pertaining to releases of this material.

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	SARA Hazardous Substance Required Qty
Calcium dodecylbenzene sulfonate 26264-06-2	1000 lb	-	RQ 1000 lb final RQ RQ 454 kg final RQ

U.S. Regulations & Inventories

California Proposition 65

California Proposition 65 requires disclosure of ingredients of this mixture that are designated as Proposition 65 substances. If any of the ingredients in this product meet these reporting requirements, they will be listed in the table below. If there is no table, no ingredients of this product meet the reporting requirements.

U.S. State Right-to-Know Regulations

No regulatory requirements found. All components of this product are either listed on applicable inventories or are exempt from listing requirements.

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Illinois	Rhode Island
Calcium dodecylbenzene sulfonate 26264-06-2	Х	Х	Х	-	-
Calcium Carbonate 1317-65-3	Х	Х	Х	-	Х

U.S. EPA Label Information EPA Registration Number

Not applicable

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

Regulatory Lists Searched & Other Sources of Information

ACGIH - American Converence of Governmental Industrial Hygienists

ADN - European Agreement for International Carriage of Dangerous Goods by Inland Waterways

ADR - European Agreement for International Carriage of Dangerous Goods by Road

- AICS Australian Inventory of Chemical Substances
- ANSI American National Standards Institute

CAP65 - California Proposition 65 Hazard List

CAS - Chemical Abstract Services

CERCLA - Comprehensive Environmental Response, Compensation & Liability Act CHINA - China Inventory **CPR - Canadian Controlled Products Regulations** DOT - United States Department of Transportation DSL - Canada Domestic Substances List EINECS - European Union (EU) European Inventory of Existing Commercial Chemical Substances ENCS - Japan Existing and New Chemical Substances IARC - International Agency for Research on Cancer IATA - International Air Transport Association ICAO - International Civil Aviation Organization IMDG - International Maritime Dangerous Goods Code MARTK - Massachusetts Right To Know List NDSL - Canada Non-Domestic Substances List NFPA - United States National Fire Protection Association NIOSH - United States National Institute for Occupational Safety & Health NJRTK - New Jersey Right To Know List NTP - United States National Toxicology Program OSHA - United States Occupational Safety & Health Administration PARTK - Pennsylvania Right To Know List PICCS - Philippines Inventory of Chemicals and Chemical Substances RCRA - United States Resources Conservation & Recovery Act RID - European Agreement for International Carriage of Dangerous Goods by Rail RIHSL - Rhode Island Hazardous Substance List SARA - United States Superfund Amendments & Reauthorization Act TDG - Canada Transportation of Dangerous Goods Act TSCA - US Toxic Substances Control Act WHMIS - Canada Workplace Hazardous Materials Information System

Definitions

EC50 - Effective Concentration (Concentration of a compound where 50% of the expected effect is observed.)

LC50 - Lethal Concentration (The concentration in water that will kill 50% of the test animals within a specific period of time, usually 96 hours.) LD50 - Lethal Dose (The single dose that will kill 50% of the test animals by any route other than inhalation such as by ingestion or skin contact.)

OEL - Occupational Exposure Limit

PEL - Permissible Exposure Limits

STEL - Short Term Exposure Limit

TLV - Threshold Limit Value

TWA - Time Weighted Average

TWAEV - Time Weighted Average Exposure Value

Prepared By

Regulatory Compliance Department

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of SDS