

1. Identification

1.1. Product identifier	
Product Identity	212 MolyXP Multi-Grade Gear Lube
Alternate Names	212
1.2. Relevant identified uses of the substance or m	ixture and uses advised against
Intended use	See Technical Data Sheet.
1.3. Details of the supplier of the safety data sheet	
Company Name	Southwestern Petroleum Lubricants LLC
	3401 Quorum Drive, Suite 360
	Fort Worth, Texas 76137
Emergency	
24 hour Emergency Telephone No.	734 930-0009
Customer Service: Southwestern Petroleum	Emergency numbers call Chemtrec 24/7 USA and

Customer Service: Southwestern Petroleum Lubricants LLC

2. Hazard(s) identification

Canada 1-800-424-9300 or 1-703-527-3887

2.1. Classification of the substance or mixture

Skin Irrit. 2;H315	Causes skin irritation.
Carc. 1B;H350	May cause cancer.

2.2. Label elements



H315 Causes skin irritation. H350 May cause cancer.

[Prevention]:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P264 Wash thoroughly after handling.

P280 Wear protective gloves, eye protection, face protection.

[Response]:

P302+352 IF ON SKIN: Wash with plenty of soap and water.

P308+313 IF exposed or concerned: Get medical advice or attention.

P321 Specific treatment (see information on this label).

P332+313 IF SKIN IRRITATION OCCURS: Get medical advice or attention.

P362 Take off contaminated clothing and wash before reuse.

[Storage]:

P405 Store locked up.

[Disposal]:

P501 Dispose of contents or container in accordance with local and national regulations.

3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substances regulations.

Ingredient/Chemical Designations	Weight %	GHS Classification	Notes
Distillates (petroleum), hydrotreated heavy paraffinic CAS Number: 0064742-54-7	25 - 50	Carc. 1B;H350	
1-decene, homopolymer, hydrogenated CAS Number: 0068037-01-4	25 - 50	Asp. Tox. 1;H304	
Polybutene CAS Number: 0009003-29-6	10 - 25	Asp. Tox. 1;H304 Skin Irrit. 2;H315	

In accordance with paragraph (i) of §1910.1200, the specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret. *PBT/vPvB - PBT-substance or vPvB-substance.

The full texts of the phrases are shown in Section 16.

Section 4. First aid measures

4.1. Description of	first aid measures
General	In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.
Inhalation	Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, give artificial respiration. If unconscious, place in the recovery position and obtain immediate medical attention. Give nothing by mouth.
Eyes	Irrigate copiously with clean water for at least 15 minutes, holding the eyelids apart and seek medical attention.
Skin	Remove contaminated clothing. Wash skin thoroughly with soap and water or use a recognized skin cleanser.
Ingestion	If swallowed obtain immediate medical attention. Keep at rest. Do NOT induce vomiting.
4.2. Most importan	t symptoms and effects, both acute and delayed
Overview	Possible cancer hazard. Contains an ingredient which may cause cancer based on animal data (See Section 3 and Section 15 for each ingredient). Risk of cancer depends on duration and level of exposure.
	Treat symptomatically. Exposure to solvent vapor concentrations from the component solvents in excess of the stated occupational exposure limits may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on the kidneys, liver and central nervous system. Symptoms include headache, nausea, dizziness, fatigue, muscular weakness, drowsiness and in extreme cases, loss of consciousness.
	Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in dryness, irritation and possible non-allergic contact dermatitis. Solvents may also be absorbed through the skin. Splashes of liquid in the

eyes may cause irritation and soreness with possible reversible damage. Check section 2.2 (GHS Label Elements) for further details.

Skin

Section 5. Fire-fighting measures

5.1. Extinguishing media

Recommended extinguishing media; alcohol resistant foam, CO₂, powder, water spray.

Unsuitable extinguishing media: Do not use; water jet.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition: High temperatures and fires may produce such toxic substances as carbon monoxide and carbon dioxide.

5.3. Advice for fire-fighters

As with all fires, wear positive pressure, self-contained breathing apparatus, (SCBA) with a full face piece and protective clothing. Persons without respiratory protection should leave area. Wear SCBA during cleanup immediately after fire. No smoking.

ERG Guide No. ----

Section 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8).

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

6.2. Environmental precautions

Do not allow spills to enter drains or waterways.

6.3. Methods and material for containment and cleaning up

Ventilate the area and avoid breathing vapors. Take the personal protective measures listed in section 8. Contain and absorb spillage with non-combustible materials e.g. sand, earth, and vermiculite. Place in closed containers outside buildings and dispose of according to the Waste Regulations.

Section 7. Handling and storage

7.1. Precautions for safe handling

Handle containers carefully to prevent damage and spillage.

Check section 2.2 (GHS Label Elements) for further details. - [Prevention]:

7.2. Conditions for safe storage, including any incompatibilities

Incompatible materials: Strong oxidizing agents and acids.

Check section 2.2 (GHS Label Elements) for further details. - [Storage]:

7.3. Specific end use(s)

No available information

Section 8. Exposure controls / personal protection

8.1. Control parameters

Exposure				
CAS No.	Ingredient	Source	Value	
0009003-29-6	Polybutene	OSHA	No Established Limit	
		ACGIH	No Established Limit	
		NIOSH	No Established Limit	
0064742-54-7	Distillates (petroleum), hydrotreated heavy	OSHA	No Established Limit	
	paraffinic	ACGIH	No Established Limit	
		NIOSH	No Established Limit	
0068037-01-4	1-decene, homopolymer, hydrogenated	OSHA	No Established Limit	
		ACGIH	No Established Limit	
		NIOSH	No Established Limit	

Exposure

Contains mineral oil. The exposure limits for oil mist are 5 mg/m3 OSHA PEL and 10 mg/m3 ACGIH.

8.2. Exposure controls	
Respiratory	If workers are exposed to concentrations above the exposure limit they must use the appropriate, certified respirators.
Eyes	Protective safety glasses recommended
Skin	Avoid skin contact. Wear PVC or rubber gloves to keep skin contact to a minimum. Refer to the manufacturer's recommendations regarding the suitability of any gloves used.
Engineering Controls	Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and any vapor below occupational exposure limits suitable respiratory protection must be worn.
Other Work Practices	Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.
Check section 2.2 (GHS	S Label Elements) for further details [Prevention]:

Section 9.	Physical	and	chemical	properties
~~~~~~				p- 0 p e- e- e o

# 9.1. Information on basic physical and chemical properties

Physical State	Liquid
Color	Thick Black
Odor	None
Odor threshold	No available information
рН	7.2
Melting point / freezing point	No available information
Initial boiling point and boiling range	330 C
Flash Point	°F °C, Test method: (Open cup)
Evaporation rate (Ether = 1)	Nil
Flammability (solid, gas)	No available information
Upper/lower flammability or explosive limits	Lower Explosive Limit: No available information
	Upper Explosive Limit: No available information
Vapor pressure (Pa)	No available information
Vapor Density	>5
Relative Density	0.85
Solubility in Water	Not miscible in water.
Partition coefficient n-octanol/water (Log Kow)	No available information

Auto-ignition temperature	No available information		
Decomposition temperature	No available information		
Viscosity (cSt)	No available information		
VOC Content	0		
9.2. Other information			
DMSO extract by IP346: Less than 3.0 wt % (mineral oil component only)			

## Section 10. Stability and reactivity

#### 10.1. Reactivity

Hazardous Polymerization will not occur.

#### 10.2. Chemical stability

Stable under normal circumstances.

**10.3.** Possibility of hazardous reactions

No available information

#### 10.4. Conditions to avoid

Excessive heat and open flame.

#### **10.5. Incompatible materials**

Strong oxidizing agents and acids.

#### 10.6. Hazardous decomposition products

High temperatures and fires may produce such toxic substances as carbon monoxide and carbon dioxide.

#### Section 11. Toxicological information

#### Acute toxicity

Exposure to solvent vapor concentrations from the component solvents in excess of the stated occupational exposure limits may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on the kidneys, liver and central nervous system. Symptoms include headache, nausea, dizziness, fatigue, muscular weakness, drowsiness and in extreme cases, loss of consciousness.

Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in dryness, irritation and possible non-allergic contact dermatitis. Solvents may also be absorbed through the skin. Splashes of liquid in the eyes may cause irritation and soreness with possible reversible damage.

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LC50, mg/L/4hr	Inhalation Dust/Mist LC50, mg/L/4hr	Inhalation Gas LC50, ppm
Distillates (petroleum), hydrotreated heavy paraffinic - (64742- 54-7)	> 5,000.00, Rat - Category: NA	<ul><li>&gt; 5,000.00, Rabbit</li><li>- Category: NA</li></ul>	No data available	No data available	No data available
1-decene, homopolymer, hydrogenated - (68037-01-4)	> 5,000.00, Rat - Category: NA	3,000.00, Rabbit - Category: 5	No data available	4,800.00, Rat - Category: NA	No data available
Polybutene - (9003-29-6)	> 10,000, Rat - Category: NA	No data available	No data available	No data available	No data available
Carcinogen Data					1

em em este en en			
CAS No.	Ingredient	Source	Value

0009003-29-6	Polybutene	OSHA	Regulated Carcinogen: No			
		NTP	Known: No; Suspected: No			
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;			
		ACGIH	No Established Limit			
0064742-54-7	Distillates (petroleum), hydrotreated	OSHA	Regulated Carcinogen: No			
	heavy paraffinic		NTP Known: No; Suspected: No			
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;			
00(0007 01 4		ACGIH	No Established Limit			
0068037-01-4	1-decene, homopolymer, hydrogenated	d OSHA NTP	Regulated Carcinogen: No Known: No; Suspected: No			
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;			
		ACGIH	No Established Limit			
Classificatio	n	Category	Hazard Description			
		Category	-			
Acute toxicit	y (oral)		Not Applicable			
Acute toxicit	y (dermal)		Not Applicable			
Acute toxicit	y (inhalation)		Not Applicable			
Skin corrosion/irritation		2	Causes skin irritation.			
Serious eye d	lamage/irritation		Not Applicable			
Respiratory s	ensitization		Not Applicable			
Skin sensitiza	ation		Not Applicable			
Germ cell mı	ıtagenicity		Not Applicable			
Carcinogenicity		1B	May cause cancer.			
Reproductive toxicity			Not Applicable			
STOT-single exposure			Not Applicable			
STOT-repeated exposure			Not Applicable			
Aspiration hazard			Not Applicable			

# Section 12. Ecological information

## 12.1. Toxicity

No additional information provided for this product. See Section 3 for chemical specific data. Aquatic Ecotoxicity

Ingredient	96 hr LC50 fish, mg/l	48 hr EC50 crustacea, mg/l	ErC50 algae, mg/l
Distillates (petroleum), hydrotreated heavy paraffinic - (64742-54-7)	101.00, Pimephales promelas	> 10,000, Daphnia magna	100.00 (72 hr), Pseudokirchneriella subcapitata
1-decene, homopolymer, hydrogenated - (68037-01-4)	Not Available	Not Available	Not Available
Polybutene - (9003-29-6)	> 10,000, Leuciscus idus	101.00, Daphnia magna	101.00 (72 hr), Pseudokirchneriella subcapitata

# 12.2. Persistence and degradability

There is no data available on the preparation itself.

12.3. Bioaccumulative potential

No available information

## 12.4. Mobility in soil

No available information

## 12.5. Results of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals.

No available information

# Section 13. Disposal considerations

# 13.1. Waste treatment methods

Observe all federal, state and local regulations when disposing of this substance.

Section 14. Transport information					
	DOT (Domestic Surface Transportation)	IMO / IMDG (Ocean Transportation)	ICAO/IATA		
14.1. UN number	Not Regulated	Not Regulated	Not Regulated		
14.2. UN proper shipping name	Not Regulated	Not Regulated	Not Regulated		
14.3. Transport hazard class(es)	<b>DOT Hazard Class:</b> Not Applicable <b>Sub Class:</b> Not Applicable	IMDG: Not Applicable Sub Class: Not Applicable	Air Class: Not Applicable Sub Class: Not Applicable		
14.4. Packing group	Not Applicable	Not Applicable	Not Applicable		
14.5. Environmental hazards					
IMDG	Marine Pollutant: No;				
14.6. Special precautions for user					
	No available information				

## Section 15. Regulatory information

**Regulatory Overview** The regulatory data in Section 15 is not intended to be all-inclusive, only selected regulations are represented.

Toxic Substance<br/>Control Act (TSCA)All components of this material are either listed or exempt from listing on the TSCA<br/>Inventory.

US EPA Tier II Hazards

# Fire: No Sudden Release of Pressure: No Reactive: No Immediate (Acute): Yes Delayed (Chronic): Yes

## **EPCRA 302** Extremely Hazardous:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute. **EPCRA 313 Toxic Chemicals:** 

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute. **Proposition 65 - Carcinogens (>0.0%):** 

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute. **Proposition 65 - Developmental Toxins (>0.0%):** 

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute. **Proposition 65 - Female Repro Toxins (>0.0%):** 

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

# Proposition 65 - Male Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

## **Proposition 65 Label Warning:**

This product contains no chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

# Section 16. Other information

# SDS Revision Date 09/22/2021

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3 is:

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H350 May cause cancer.

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders

End of Document