

Safety Data Sheet

This safety data sheet complies with the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision Date 27-Jul-2020 Revision Number 6

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product Code W00801

Product Name SWEPCO 801 Clear Penetrating Lubricant (Aerosol)

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Lubricant

Uses advised against Any non-label use

1.3. Details of the supplier of the safety data sheet

<u>Importer</u> <u>Manufacturer</u> <u>Supplier</u>

NV Southwestern Petroleum Europe SA
Industrieweg 6
B-2390 Oostmalle
NV Southwestern Petroleum Europe SA
Industrieweg 6
B-2390 Oostmalle
NV Southwestern Petroleum Europe SA
Industrieweg 6
B-2390 Oostmalle
B-2390 Oostmalle

BELGIUM BELGIUM BELGIUM

 www.swepcolube.com
 www.swepcolube.com
 www.swepcolube.com

 Email: swepco@edpnet.be
 Email: swepco@edpnet.be
 Email: swepco@edpnet.be

 Fax: 011-323-311-7277
 Fax: 011-323-311-7277
 Fax: 011-323-312-3141

 Telephone: 011-323-312-3141
 Telephone: 011-323-312-3141
 Telephone: 011-323-312-3141

1.4. Emergency telephone number

Emergency Telephone Belgium Office: 011-323-312-3141

US Office: +01-817-332-2336

Emergency Telephone - §45 - (EC)1272/2008		
Europe	112	

Section 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Aspiration toxicity	Category 1 - (H304)
Germ Cell Mutagenicity	Category 1B - (H340)
Carcinogenicity	Category 1B - (H350)
Chronic aquatic toxicity	Category 3 - (H412)
Aerosols	Category 2 - (H223)

2.2. Label elements

Product Identifier

SWEPCO 801 Clear Penetrating Lubricant (Aerosol)

Contains Naphtha (petroleum), light alkylate, Solvent naphtha (petroleum), light aliphatic, Petroleum distillates, hydrotreated light

W00801 Page 2/9





Hazard statements

H304 - May be fatal if swallowed and enters airways

H340 - May cause genetic defects

H350 - May cause cancer

H412 - Harmful to aquatic life with long lasting effects

H223 - Flammable aerosol

H229 - Pressurized container: May burst if heated

EUH210 - Safety data sheet available on request

Precautionary Statements - EU (§28, 1272/2008)

P201 - Obtain special instructions before use

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P308 + P313 - IF exposed or concerned: Get medical advice/attention

P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor

P331 - Do NOT induce vomiting

P410 + P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F

P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking

P251 - Do not pierce or burn, even after use

2.3. Other hazards

5.9174% of the mixture consists of ingredient(s) of unknown toxicity.

5.9174 % of the mixture consists of components(s) of unknown hazards to the aquatic environment No other information available.

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Chemical Name	EC No.	CAS-No	Weight %	Classification according to Regulation (EC) No. 1272/2008 [CLP]	REACH registration number
1,3,4-Thiadiazole, 2,5-bis(octyldithio)-	236-912-2	13539-13-4	0 - 10%	No data available	None Required
Dioctyl disulphide	212-494-7	822-27-5	0 - 10%	No data available	None Required
Benzenamine, 2-ethyl-N-(2-ethylphenyl)-, (tripropenyl) derivitives	271-800-7	68608-77-5	0 - 10%	No data available	None Required
Petroleum distillates, hydrotreated heavy paraffinic	265-157-1	64742-54-7	70 - 80%	Carc. 1B (H350)	05-2115856970-36-0 000
n-Amyl acetate	211-047-3	628-63-7	10 - 20%	(EUH066) Flam. Liq. 3 (H226)	None Required
Carbamodithioic acid, dibutyl-, methylene ester	233-593-1	10254-57-6	0 - 10%	No data available	None Required

Full text of H- and EUH-phrases: see section 16

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

Section 4: FIRST AID MEASURES

4.1. Description of first aid measures

W00801 Page 3/9

Inhalation Move to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial

respiration. If symptoms persist, call a physician.

Skin ContactWash off immediately with soap and plenty of water removing all contaminated clothes and

shoes.

Ingestion Do not induce vomiting without medical advice. Consult a physician. If vomiting occurs,

keep head below hips to prevent aspiration.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms No other information available.

4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

Section 5: FIRE FIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

Water spray or fog. Dry chemical. Carbon dioxide (CO2). Foam. Cool containers with flooding quantities of water until well after fire is out.

Unsuitable Extinguishing Media

Do not scatter spilled material with high pressure water streams.

5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors.

Hazardous Combustion Products

Hydrogen sulfide (H2S) may be produced above 250° F (121° C). Decomposition and combustion products may be toxic.

5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective suit. Use personal protective equipment as required.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal Precautions

Ensure adequate ventilation.

For emergency responders

Use personal protection recommended in Section 8.

6.2. Environmental precautions

Do not allow material to contaminate ground water system. Prevent product from entering drains. Do not flush into surface water or sanitary sewer system.

6.3. Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so. Use inert absorbent materials to confine

spills and absorb spill.

Methods for Clean-up Take up mechanically and collect in suitable container for disposal.

6.4. Reference to other sections

W00801 Page 4/9

See section 8 for more information. See section 13 for more information.

Section 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Handling

Contents under pressure. Do not puncture, crush or incinerate cans. Do not stick pin or any other sharp object into opening on top of can. Keep away from open flames, hot surfaces and sources of ignition. Do not breathe vapors or spray mist. Avoid contact with skin, eyes and clothing. Do not eat, drink or smoke when using this product.

General Hygiene Considerations

Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Storage

Store containers below 120° F (49° C). Keep out of the reach of children. Store in cool/well-ventilated place.

Incompatible Materials

Strong oxidizing agents.

7.3. Specific end use(s)

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure limits

If there are exposure limits set for any components of this product, they will be listed below. Keep in mind, however, that these exposure levels are for pure concentrations of these ingredients:

Chemical Name	EU OEL	United Kingdom	France	Spain	Germany
n-Amyl acetate		STEL: 100 ppm	TWA: 50 ppm	VLA-EC: 100 ppm	-
628-63-7		TWA: 270 mg/m ³	TWA: 270 mg/m ³	VLA-EC; 540 mg/m ³	
		TWA: 50 ppm	STEL: 100 ppm	VLA-EC	
		STEL: 541 mg/m ³	STEL: 540 mg/m ³	VLA-ED: 50 ppm	
				VLA-ED; 270 mg/m ³	
				VLA-ED	
Chemical Name	Italy	Portugal	Netherlands	Finland	Denmark
n-Amyl acetate	TWA: 270 mg/m ³	STEL: 100 ppm	STEL: 530 mg/m ³	TWA: 270 mg/m ³	TWA: 266 mg/m ³
628-63-7	TWA: 50 ppm	TWA: 50 ppm	_	TWA: 50 ppm	TWA: 50 ppm
				STEL: 100 ppm	
				STEL: 540 mg/m ³	
Chemical Name	Austria	Switzerland	Poland	Norway	Ireland
n-Amyl acetate	STEL: 100 ppm STEL;	STEL: 50 ppm	NDSCh: 500 mg/m ³	_	TWA: 270 mg/m ³
628-63-7	540 mg/m ³ STEL	STEL: 260 mg/m ³	NDS: 250 mg/m ³		TWA: 50 ppm
	MAK: 50 ppm MAK;	_	-		STEL: 100 ppm
	270 mg/m³ MAK				STEL: 540 mg/m ³

Derived No Effect Level (DNEL)No other information available.

Predicted No Effect Concentration No other information available.

(PNEC)

8.2. Exposure controls

Engineering Controls Ensure adequate ventilation, especially in confined areas.

Personal Protective Equipment

Eye/face Protection Skin ProtectionTightly fitting safety goggles.
Long sleeved clothing.

Environmental exposure controls No other information available.

W00801 Page 5/9

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical state Aerosol Color Amber

Odor No other information available
Odor Threshold No other information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH No other information available
Melting point / freezing point No other information available
Boiling Point/Range No other information available

Flash Point -60 °C

Evaporation Rate No other information available Flammability (solid, gas) No other information available

Flammability Limit in Air

Upper flammability limit: No other information available No other information available Lower flammability limit: Vapor pressure No other information available Vapor Density No other information available Relative density No other information available Water Solubility No other information available Solubility in other solvents No other information available No other information available Partition coefficient

Autoignition Temperature 240 °C

Decomposition temperature
Kinematic viscosity @40C
Dynamic viscosity
Explosive Properties
Oxidizing Properties
No other information available
No other information available
No other information available
No other information available

9.2. Other information

Softening PointNo other information availableMolecular WeightNo other information availableVolatiles, % VolNo other information availableDensityNo other information availableBulk DensityNo other information available

Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

No data available.

10.2. Chemical stability

Stable under normal conditions. Hazardous polymerization does not occur.

Explosion Data

Sensitivity to static discharge None.

10.3. Possibility of hazardous reactions

Possibility of Hazardous Reactions

None under normal processing.

10.4. Conditions to avoid

Heat, flames and sparks.

10.5. Incompatible materials

Strong oxidizing agents.

W00801 Page 6/9

10.6. Hazardous decomposition products

Hydrocarbons. Carbon monoxide. Hydrogen sulfide (H2S) may be produced above 250° F (121° C).

Section 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Acute Toxicity

Product Information

Product does not present an acute toxicity hazard based on known or supplied information.

InhalationNo data available.Eye ContactNo data available.Skin ContactNo data available.IngestionNo data available.

The following values are calculated based on chapter 3.1 of the GHS document

 ATEmix (oral)
 3,473.00

 ATEmix (dermal)
 2,166.00

Unknown acute toxicity

100% of the mixture consists of ingredient(s) of unknown toxicity.

54.6211 % of the mixture consists of ingredient(s) of unknown acute oral toxicity.
56.6343 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity.
100 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas).
100 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor).
100 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist).

Skin Corrosion/IrritationNo other information available.Serious eye damage/eye irritationNo other information available.SensitizationNo other information available.

Mutagenic Effects No other information available.

Carcinogenic Effects No other information available.

Chemical Name	EU Carc*		
Petroleum distillates, hydrotreated heavy paraffinic	Carc. 1B		

Reproductive Effects

No other information available.

STOT - single exposure

No other information available.

STOT - repeated exposure

No other information available.

Aspiration hazard

No other information available.

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Unknown Aquatic Toxicity 5.9174 % of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Freshwater Fish	Water Flea
Petroleum distillates, hydrotreated	-	5000: 96 h Oncorhynchus mykiss	1000: 48 h Daphnia magna mg/L
heavy paraffinic		mg/L LC50	EC50
n-Amyl acetate	-	650: 96 h Lepomis macrochirus	

W00801 Page 7/9

mg/L LC50 static

12.2. Persistence and degradability

No other information available.

12.3. Bioaccumulative potential

No other information available.

12.4. Mobility in soil

Mobility in soil

No other information available.

12.5. Results of PBT and vPvB assessment

No other information available.

12.6. Other adverse effects

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from Residues / Unused

Products

Dispose of in accordance with local regulations.

Contaminated Packaging Empty containers should be taken for local recycling, recovery or waste disposal.

Section 14: TRANSPORT INFORMATION

IMDG/IMO

14.1 UN-No UN1950
14.2 Proper Shipping Name Aerosols
14.3 Hazard Class

14.3 Hazard Class 2.1

14.4 Packing GroupNot RegulatedDescriptionUN1950 Aerosols, 214.5 Marine PollutantNot applicable

14.6 Special Provisions 190, 277, 327, 344, 63, 959

EmS No. F-D, S-U

14.7 Transport in bulk according to No other information available

Annex II of MARPOL 73/78 and the

IBC Code

RID

14.1 UN-No UN1950

14.2 Proper Shipping Name Aerosols Aerosols

14.3 Hazard Class 2.1

14.4 Packing Group Not Regulated

Description UN1950 Aerosols, 2.1

14.5 Environmental hazard Not applicable

14.6 Special Provisions None Classification Code 5F

ADR

14.1 UN-No UN1950

14.2 Proper Shipping Name Aerosols Aerosols

14.3 Hazard Class 2.1

W00801 Page 8/9

14.4 Packing Group Not Regulated

Description UN1950 Aerosols, 2.1, (D)

14.5 Environmental hazardNot applicable14.6 Special Provisions190, 327, 625

Classification Code 5F Tunnel restriction code (D)

IATA

14.1 UN-No UN1950

14.2 Proper Shipping Name Aerosols, flammable mixture

14.3 Hazard Class 2.1

14.4 Packing Group Not Regulated

Description UN1950 Aerosols, flammable mixture, 2.1

14.5 Environmental hazardNot applicable14.6 Special ProvisionsA145, A167

ERG Code 10L

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Authorizations and/or restrictions on use:

This product does not contain substances subject to authorization (Regulation (EC) No. 1907/2006 (REACH), Annex XIV) This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

Persistent Organic Pollutants

Not applicable

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

15.2. Chemical safety assessment

No other information available

Section 16: OTHER INFORMATION

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

H226 - Flammable liquid and vapor

H340 - May cause genetic defects

H350 - May cause cancer

H304 - May be fatal if swallowed and enters airways

EUH066 - Repeated exposure may cause skin dryness or cracking

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average)
STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value
* Skin designation

Classification procedure

Calculation method

Prepared By Regulatory Compliance Department

W00801 Page 9/9

This safety data sheet complies with the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008.

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text

End of Safety Data Sheet