

Safety Data Sheet

This safety data sheet complies with the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision Date 14-Sep-2020 Revision Number 4

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product Code W00816A

Product Name SWEPCO 816 Food Grade Silicone Spray (Aerosol)

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Lubricant

Uses advised against Any non-label use

1.3. Details of the supplier of the safety data sheet

<u>Importer</u> <u>Manufacturer</u> <u>Supplier</u>

NV Southwestern Petroleum Europe SA
Industrieweg 6
B-2390 Oostmalle

NV Southwestern Petroleum Europe SA
Industrieweg 6
B-2390 Oostmalle

NV Southwestern Petroleum Europe SA
Industrieweg 6
B-2390 Oostmalle

NV Southwestern Petroleum Europe SA
Industrieweg 6
B-2390 Oostmalle

BELGIUM BELGIUM BELGIUM

 www.swepcolube.com
 www.swepcolube.com
 www.swepcolube.com

 Email: swepco@edpnet.be
 Email: swepco@edpnet.be
 Email: swepco@edpnet.be

 Fax: 011-323-311-7277
 Fax: 011-323-311-7277
 Fax: 011-323-312-3141

 Telephone: 011-323-312-3141
 Telephone: 011-323-312-3141
 Telephone: 011-323-312-3141

1.4. Emergency telephone number

Emergency Telephone Belgium Office: 011-323-312-3141

US Office: +01-817-332-2336

Emergency Telephone - §45 - (EC)1272/2008		
Europe	112	

Section 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

11094141011 (20) 110 121212000	
Aspiration toxicity	Category 1 - (H304)
Skin Corrosion/Irritation	Category 2 - (H315)
Serious eye damage/eye irritation	Category 2 - (H319)
Specific target organ toxicity (single exposure)	Category 3 - (H335)
Acute aquatic toxicity	Category 1 - (H400)
Chronic aquatic toxicity	Category 1 - (H410)
Aerosols	Category 2 - (H223)

2.2. Label elements

Product Identifier

SWEPCO 816 Food Grade Silicone Spray (Aerosol)

Contains Heptane (n-)

W00816A Page 2/10



Signal Word Danger

Hazard statements

H304 - May be fatal if swallowed and enters airways

H315 - Causes skin irritation

H319 - Causes serious eye irritation

H336 - May cause drowsiness or dizziness

H410 - Very toxic to aquatic life with long lasting effects

H223 - Flammable aerosol

H229 - Pressurized container: May burst if heated

EUH210 - Safety data sheet available on request

Precautionary Statements - EU (§28, 1272/2008)

P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor

P331 - Do NOT induce vomiting

P410 + P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F

P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking

P251 - Do not pierce or burn, even after use

2.3. Other hazards

0% of the mixture consists of ingredient(s) of unknown toxicity.

27.91 % of the mixture consists of components(s) of unknown hazards to the aquatic environment No other information available.

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Chemical Name	EC No.	CAS-No	Weight %	Classification according to Regulation (EC) No. 1272/2008 [CLP]	REACH registration number
Heptane (n-)	205-563-8	142-82-5	30 - 40%	Skin Irrit. 2 (H315) STOT SE 3 (H336) Asp. Tox. 1 (H304) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) Flam. Liq. 2 (H225)	None Required
Acetone	200-662-2	67-64-1	20 - 30%	Eye Irrit. 2 (H319) (EUH066) STOT SE 3 (H336) Flam. Liq. 2 (H225)	None Required
Poly(dimethylsiloxane)	-	63148-62-9	0 - 10%	No data available	None Required
Propane	200-827-9	74-98-6	10 - 20%	Flam. Gas 1 (H220) Press. Gas	None Required
Butane	203-448-7	106-97-8	10 - 20%	Muta. 1B (H340) Carc. 1A (H350) Flam. Gas 1 (H220) Press. Gas	None Required

^{*} IMPORTANT NOTE: While this product contains base oil stocks which are generally classed as carcinogenics in the EU, the European Commission has stipulated that the classification of base oil stocks used in this product need not be identified as carcinogenic if the base oil stock has less than 3% DMSO extract as measured by IP 346. (See Note L, European Commission Directive 67/548/EEC as amended and adapted.) None of the base oils used in this product contain DMSO in a concentration of 3% or more; nor are they considered carcinogenic by the International Agency for Research on Cancer (IARC).

W00816A Page 3/10

Full text of H- and EUH-phrases: see section 16

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

Section 4: FIRST AID MEASURES

4.1. Description of first aid measures

Inhalation Move to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial

respiration. If symptoms persist, call a physician.

Skin Contact Wash off immediately with soap and plenty of water removing all contaminated clothes and

shoes.

Ingestion Do not induce vomiting without medical advice. Consult a physician. If vomiting occurs,

keep head below hips to prevent aspiration.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms No other information available.

4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

Section 5: FIRE FIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

Water spray or fog. Dry chemical. Carbon dioxide (CO2). Foam. Cool containers with flooding quantities of water until well after fire is out.

Unsuitable Extinguishing Media

Do not scatter spilled material with high pressure water streams.

5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors.

Hazardous Combustion Products

Hydrogen sulfide (H2S) may be produced above 250° F (121° C). Decomposition and combustion products may be toxic.

5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective suit. Use personal protective equipment as required.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal Precautions

Ensure adequate ventilation.

For emergency responders

Use personal protection recommended in Section 8.

6.2. Environmental precautions

Do not allow material to contaminate ground water system. Prevent product from entering drains. Do not flush into surface water or sanitary sewer system.

W00816A Page 4/10

6.3. Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so. Use inert absorbent materials to confine

spills and absorb spill.

Methods for Clean-up

Take up mechanically and collect in suitable container for disposal.

6.4. Reference to other sections

See section 8 for more information. See section 13 for more information.

Section 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Handling

Contents under pressure. Do not puncture, crush or incinerate cans. Do not stick pin or any other sharp object into opening on top of can. Keep away from open flames, hot surfaces and sources of ignition. Do not breathe vapors or spray mist. Avoid contact with skin, eyes and clothing. Do not eat, drink or smoke when using this product.

General Hygiene Considerations

Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Storage

Store containers below 120° F (49° C). Keep out of the reach of children. Store in cool/well-ventilated place.

Incompatible Materials

Strong oxidizing agents.

7.3. Specific end use(s)

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure limits

If there are exposure limits set for any components of this product, they will be listed below. Keep in mind, however, that these exposure levels are for pure concentrations of these ingredients:

Chemical Name	EU OEL	United Kingdom	France	Spain	Germany
Heptane (n-) 142-82-5		TWA: 500 ppm	TWA: 400 ppm TWA: 1668 mg/m³ STEL: 500 ppm STEL: 2085 mg/m³	VLA-ED: 500 ppm VLA-ED; 2085 mg/m³ VLA-ED	-
Acetone 67-64-1		TWA: 1210 mg/m³ STEL: 1500 ppm STEL: 3620 mg/m³ TWA: 500 ppm	TWA: 500 ppm TWA: 1210 mg/m ³ STEL: 1000 ppm STEL: 2420 mg/m ³	VLA-ED: 500 ppm VLA-ED; 1210 mg/m³ VLA-ED	-
Propane 74-98-6				VLA-ED: 1000 ppm VLA-ED (listed under Aliphatic hydrocarbon gases and mixtures alkanes C1-C4)	-
Butane 106-97-8		TWA: 1450 mg/m³ STEL: 1810 mg/m³ TWA: 600 ppm STEL: 750 ppm	TWA: 800 ppm TWA: 1900 mg/m ³	VLA-ED: 1000 ppm VLA-ED (listed under Aliphatic hydrocarbon gases and mixtures alkanes C1-C4)	-
Chemical Name	Italy	Portugal	Netherlands	Finland	Denmark
Heptane (n-) 142-82-5	TWA: 2085 mg/m ³ TWA: 500 ppm	STEL: 500 ppm TWA: 400 ppm	STEL: 1600 mg/m ³ TWA: 1200 mg/m ³	TWA: 1200 mg/m ³ TWA: 300 ppm STEL: 2100 mg/m ³ STEL: 500 ppm	TWA: 200 ppm TWA: 820 mg/m ³
Acetone	TWA: 1210 mg/m ³	STEL: 750 ppm	STEL: 2420 mg/m ³	TWA: 1200 mg/m ³	TWA: 250 ppm

W00816A Page 5/10

			1		·
67-64-1	TWA: 500 ppm	TWA: 500 ppm	TWA: 1210 mg/m ³	TWA: 500 ppm STEL: 1500 mg/m³ STEL: 630 ppm	TWA: 600 mg/m ³
Propane 74-98-6	-	TWA: 2500 ppm	-	TWA: 1500 mg/m³ TWA: 800 ppm STEL: 1100 ppm STEL: 2000 mg/m³	TWA: 1000 ppm TWA: 1800 mg/m ³
Butane 106-97-8	-	TWA: 800 ppm	-	TWA: 1900 mg/m ³ TWA: 800 ppm STEL: 1000 ppm STEL: 2400 mg/m ³	TWA: 1200 mg/m ³ TWA: 500 ppm
Chemical Name	Austria	Switzerland	Poland	Norway	Ireland
Heptane (n-) 142-82-5	STEL: 2000 ppm STEL; 8000 mg/m³ STEL MAK: 500 ppm MAK; 2000 mg/m³ MAK (all isomers)	STEL: 400 ppm STEL: 1600 mg/m ³ TWA: 400 ppm TWA: 1600 mg/m ³	NDSCh: 2000 mg/m ³ NDS: 1200 mg/m ³	TWA: 200 ppm TWA: 800 mg/m³	TWA: 1600 mg/m³ TWA: 400 ppm STEL: 2000 mg/m³ STEL: 500 ppm
Acetone 67-64-1	STEL: 2000 ppm STEL; 4800 mg/m³ STEL MAK: 500 ppm MAK; 1200 mg/m³ MAK	STEL: 1000 ppm STEL: 2400 mg/m³ TWA: 500 ppm TWA: 1200 mg/m³	NDSCh: 1800 mg/m ³ NDS: 600 mg/m ³	TWA: 125 ppm TWA: 295 mg/m³	TWA: 1210 mg/m³ TWA: 500 ppm
Propane 74-98-6	STEL: 2000 ppm STEL (3 X 60 min); 3600 mg/m³ STEL (3 X 60 min) MAK: 1000 ppm MAK; 1800 mg/m³ MAK	STEL: 4000 ppm STEL: 7200 mg/m ³ TWA: 1000 ppm TWA: 1800 mg/m ³	NDS: 1800 mg/m ³	TWA: 500 ppm TWA: 900 mg/m³	
Butane 106-97-8	MAK: 800 ppm MAK; 1900 mg/m³ MAK Ceiling: 1600 ppm Ceiling (3 X 60 min); 3800 mg/m³ Ceiling (3 X 60 min)	STEL: 3200 ppm STEL: 7200 mg/m ³ TWA: 800 ppm TWA: 1900 mg/m ³	NDSCh: 3000 mg/m ³ NDS: 1900 mg/m ³	TWA: 250 ppm TWA: 600 mg/m³	TWA: 1430 mg/m³ TWA: 600 ppm STEL: 1780 mg/m³ STEL: 750 ppm

Derived No Effect Level (DNEL)No other information available.

Predicted No Effect Concentration No other information available.

(PNEC)

8.2. Exposure controls

Engineering Controls Ensure adequate ventilation, especially in confined areas.

Personal Protective Equipment

Eye/face Protection
Skin Protection
Tightly fitting safety goggles.
Long sleeved clothing.

Environmental exposure controls No other information available.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical StateAerosolColorClear CloudyOdorOdorlessColorClear Cloudy

Odor Threshold No other information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH No other information available
 Melting point / freezing point No other information available
 Boiling Point/Range No other information available

Flash Point 0 °F

Evaporation RateNo other information available **Flammability (solid, gas)**No other information available

W00816A Page 6/10

Flammability Limit in Air

Upper flammability limit:
Lower flammability limit:
Vapor pressure
Vapor Density

No other information available
No other information available
No other information available

Relative density 0.86

Water Solubility No other information available Solubility in other solvents No other information available Partition coefficient No other information available **Autoignition Temperature** No other information available **Decomposition temperature** No other information available Kinematic viscosity @40C No other information available **Dynamic viscosity** No other information available No other information available **Explosive Properties Oxidizing Properties** No other information available

9.2. Other information

Softening Point
Molecular Weight
Volatiles, % Vol
Density
No other information available

Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

No data available.

10.2. Chemical stability

Stable under normal conditions. Hazardous polymerization does not occur.

Explosion Data

Sensitivity to static discharge None.

10.3. Possibility of hazardous reactions

Possibility of Hazardous Reactions

None under normal processing.

10.4. Conditions to avoid

Heat, flames and sparks.

10.5. Incompatible materials

Strong oxidizing agents.

10.6. Hazardous decomposition products

Hydrocarbons. Carbon monoxide. Hydrogen sulfide (H2S) may be produced above 250° F (121° C).

Section 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Acute Toxicity

Product Information

Product does not present an acute toxicity hazard based on known or supplied information.

InhalationNo data available.Eye ContactNo data available.Skin ContactNo data available.

W00816A Page 7/10

Ingestion No data available.

The following values are calculated based on chapter 3.1 of the GHS document

 ATEmix (oral)
 6,469.00

 ATEmix (dermal)
 2,718.00

 ATEmix (inhalation-dust/mist)
 101.00

Unknown acute toxicity

100.01% of the mixture consists of ingredient(s) of unknown toxicity.

50.16 % of the mixture consists of ingredient(s) of unknown acute oral toxicity.

62.08 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity.

100.01 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas). 100.01 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor).

27.91 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist).

Skin Corrosion/IrritationNo other information available.Serious eye damage/eye irritationNo other information available.SensitizationNo other information available.Mutagenic EffectsNo other information available.

Carcinogenic Effects No other information available.

Chemical Name	EU Carc*	
Butane	Carc. 1A	

^{*} IMPORTANT NOTE: While this product contains base oil stocks which are generally classed as carcinogenics in the EU, the European Commission has stipulated that the classification of base oil stocks used in this product need not be identified as carcinogenic if the base oil stock has less than 3% DMSO extract as measured by IP 346. (See Note L, European Commission Directive 67/548/EEC as amended and adapted.) None of the base oils used in this product contain DMSO in a concentration of 3% or more; nor are they considered carcinogenic by the International Agency for Research on Cancer (IARC).

Reproductive Effects

No other information available.

STOT - single exposure

No other information available.

STOT - repeated exposure

No other information available.

Aspiration hazard

No other information available.

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Unknown Aquatic Toxicity 27.91 % of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Freshwater Fish	Water Flea
Heptane (n-)	-	375.0: 96 h Cichlid fish mg/L LC50	10: 24 h Daphnia magna mg/L EC50
Acetone	-	4.74 - 6.33: 96 h Oncorhynchus mykiss mL/L LC50 6210 - 8120: 96 h Pimephales promelas mg/L LC50 static 8300: 96 h Lepomis macrochirus mg/L LC50	10294 - 17704: 48 h Daphnia magna mg/L EC50 Static 12600 - 12700: 48 h Daphnia magna mg/L EC50

12.2. Persistence and degradability

No other information available.

12.3. Bioaccumulative potential

W00816A Page 8/10

No other information available.

Chemical Name	Partition coefficient	
Heptane (n-)	4.66	
Acetone	-0.24	
Propane	2.3	
Butane	2.89	

12.4. Mobility in soil

Mobility in soil

No other information available.

12.5. Results of PBT and vPvB assessment

No other information available.

12.6. Other adverse effects

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from Residues / Unused

Products

Dispose of in accordance with local regulations.

Contaminated Packaging Empty containers should be taken for local recycling, recovery or waste disposal.

Section 14: TRANSPORT INFORMATION

IMDG/IMO

14.1 UN-No UN1950
14.2 Proper Shipping Name Spuitbussen

14.3 Hazard Class 2

14.4 Packing GroupNot RegulatedDescriptionUN1950, Aerosols,214.5 Marine PollutantNot applicable

14.6 Special ProvisionsEmS No.
None
F-D, S-U

14.7 Transport in bulk according to No other information available

Annex II of MARPOL 73/78 and the

IBC Code

RID

14.1 UN-No 14.2 Proper Shipping NameUN1950
Not Regulated

14.3 Hazard Class 2 ADR/RID-Labels 2

14.4 Packing Group Not Regulated

Description UN1950 Aerosols,2,,RID

14.5 Environmental hazard Not applicable

14.6 Special Provisions None Classification Code 5A

<u>ADR</u>

 14.1 UN-No
 UN1950

 14.2 Proper Shipping Name
 Aerosols

 14.3 Hazard Class
 2

 ADR/RID-Labels
 2

W00816A Page 9/10

14.4 Packing Group Not Regulated

Description UN1950 Aerosols,2,,ADR

14.5 Environmental hazard Not applicable

14.6 Special Provisions None Classification Code 5A

IATA

14.1 UN-No UN1950

14.2 Proper Shipping Name Aerosols, flammable

14.3 Hazard Class 2.1

14.4 Packing Group Not Regulated

Description UN1950, Aerosols, flammable, 2.1

14.5 Environmental hazard Not applicable

14.6 Special Provisions None

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Authorizations and/or restrictions on use:

This product does not contain substances subject to authorization (Regulation (EC) No. 1907/2006 (REACH), Annex XIV) This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

Persistent Organic Pollutants

Not applicable

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

15.2. Chemical safety assessment

No other information available

Section 16: OTHER INFORMATION

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

H315 - Causes skin irritation

H336 - May cause drowsiness or dizziness

H304 - May be fatal if swallowed and enters airways

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

H225 - Highly flammable liquid and vapor

H319 - Causes serious eye irritation

H340 - May cause genetic defects

H350 - May cause cancer

H220 - Extremely flammable gas

EUH066 - Repeated exposure may cause skin dryness or cracking

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average)
STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value
* Skin designation

W00816A Page 10 / 10

Classification procedure

Calculation method

Prepared By

Regulatory Compliance Department

This safety data sheet complies with the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008.

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text

End of Safety Data Sheet